State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-21 Relating to Certification of New Motor Vehicles

TOYO KOGYO CO., LTD

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Toyo Kogyo Co., LTD. exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: 8CTCP

Engine: 77.6 CID

Transmission: 3-speed Automatic, 4-speed Manual, 5-speed Manual

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
8СТСР	0.22	5.9	0.9	

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-16 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 6 day of August 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	ne Family SCTCP		GR. AI.		e (CID) 77.	-10%(A/C)		
ng.	Vehicle Models (If Coded see		Inertia Weight	Distributor	Fuel System Type 2 ¥	1	Tun	
	attachment)		Class	Mfgr. Part Number	Mfgr. Part Number	Part No. Service ***	(2)	Basic Timing Idle Mixture Idle Speed
	Mazda GLC Sedan	A-3	2250	Mitsubishi T3T07074	Hitachi DCG306-38	3713		11° ± 1° BTDC @ 600 + 50 RPM in
		1						drive. Distribu vacuum line dis- connected.
								$2.0 \pm 0.5\%$ W/O A injection
							(3)	600 + 50 in driv
		: - -						All accessories Off.
			1					

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	facturer Toyol ne Family 8CTCP							
	sion Control Sy							
ng. ode	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Type c, v			Spec (1) (2)	-Up ification Basic Timing Idle Mixture Idle Speed
	Mazda GLC Sedan	M-4 M-5	2250	Mitsubishi T3T07074	Hitachi DcG306-36	3713	(1) 1	10 + 10 BTDC 6 700 + 50 RPM in neutral. Distributor Vacu
							(3)	$2.0 \pm 0.5\%$ W/O Air injection $700 + 50$ in neutral accessories Off.
omm	ents: No page I for abbr	mode	ls have	special road	load HP set	tings.		

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	Toyo Kogyo Co.	, LTD Executive Order No.	<u> A-16-21 </u>	1
Engine Family_	8СТСР	Engine (CID) 77.6		

ABBREVIATIONS

<u>Distributor</u>
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Mode 1

Body

Mazda GLC

Sedan